

DRIVER UTILITY BE-0961 Driver 1.3

All rights reserved. Copyright 2015

Driver DVD Revision History

=====
=====

1. Click on the self-extracting and self-installing setup file and answer all prompts presented.

2. You will be prompted to reboot when installation is complete.

- 3.The sequence of setup is Main Chip --> Graphics --> TXE --> LAN Chip --> Sound Codec --> USB3 (USB3 is only for WIN7 32/64 bit)
)
- 4.Update Manual to M4 from M2

- 5.Update Manual to M5 from M4

=====
=====

DRIVER DVD CONTENT

=====
=====

Driver\---->\Flash BIOS\AfuEfix64.efi
|
|
+---->\Platform\Win7(32bit)\Main Chip\SetupChipset.exe
|
|
+---->\Platform\Win7(32bit)\Graphics\Setup.exe
|
|
+---->\Platform\Win7(32bit)\TXE\Windows 7 update
KMDf\kmdf-1.11-Win-6.1-x86.msu

```
      |      \Platform\Win7(32bit)\TXE\Bay
Trail-MD_Intel(R)_TXE_FW_1.0.4.1089\SetupTXE.exe
      |
      |
      +---->\Platform\Win7(32bit)\LAN Chip\PROWin32.exe
      |
      |
      +---->\Platform\Win7(32bit)\Sound
Codec\32bit_Win7_Win8_Win81_R273.exe
      |
      |
      +---->\Platform\Win7(32bit)\USB3\Setup.exe
      |
      |
      +---->\Platform\Win7(64bit)\Main Chip\SetupChipset.exe
      |
      |
      +---->\Platform\Win7(64bit)\Graphics\Setup.exe
      |
      |
      +---->\Platform\Win7(64bit)\TXE\Windows 7 update
KMDf\kmdf-1.11-Win-6.1-x64.msu
      |      \Platform\Win7(64bit)\TXE\Bay
Trail-MD_Intel(R)_TXE_FW_1.0.4.1089\SetupTXE.exe
      |
      |
      +---->\Platform\Win7(64bit)\LAN Chip\PROWinx64.exe
      |
      |
      +---->\Platform\Win7(64bit)\Sound
Codec\64bit_Win7_Win8_Win81_R273.exe
      |
      |
      +---->\Platform\Win7(64bit)\USB3\Setup.exe
      |
      |
      +---->\Platform\Win8,Win8.1(32bit)\Main Chip\SetupChipset.exe
      |
```

```
|
+---->\Platform\Win8,Win8.1(32bit)\Graphics\Setup.exe
|
|
+---->\Platform\Win8,Win8.1(32bit)\TXE\Bay
Trail-MD_Intel(R)_TXE_FW_1.0.4.1089\SetupTXE.exe
|
|
+---->\Platform\Win8,Win8.1(32bit)\LAN Chip\PROWin32.exe
|
|
+---->\Platform\Win8,Win8.1(32bit)\Sound
Codec\32bit_Win7_Win8_Win81_R273.exe
|
|
+---->\Platform\Win8,Win8.1(64bit)\Main Chip\SetupChipset.exe
|
|
+---->\Platform\Win8,Win8.1(64bit)\Graphics\Setup.exe
|
|
+---->\Platform\Win8,Win8.1(64bit)\TXE\Bay
Trail-MD_Intel(R)_TXE_FW_1.0.4.1089\SetupTXE.exe
|
|
+---->\Platform\Win8,Win8.1(64bit)\LAN Chip\PROWinx64.exe
|
|
+---->\Platform\Win8,Win8.1(64bit)\Sound
Codec\64bit_Win7_Win8_Win81_R273.exe
|
|
+---->\Platform\Win10(32bit)\Main Chip\SetupChipset.exe
|
|
+---->\Platform\Win10(32bit)\Graphics\Setup.exe
|
|
```

```
+---->\Platform\Win10(32bit)\TXE\SetupTXE.exe
|
|
+---->\Platform\Win10(32bit)\LAN Chip\PROWin32.exe
|
|
+---->\Platform\Win10(32bit)\Sound
Codec\Audio-0005-Win7_Win8_Win81_Win10_R279
|
|
+---->\Platform\Win10(64bit)\Main Chip\SetupChipset.exe
|
|
+---->\Platform\Win10(64bit)\Graphics\Setup.exe
|
|
+---->\Platform\Win10(64bit)\TXE\SetupTXE.exe
|
|
+---->\Platform\Win10(64bit)\LAN Chip\PROWin64.exe
|
|
+---->\Platform\Win10(64bit)\Sound
Codec\Audio-0005-Win7_Win8_Win81_Win10_R279
```

MANUAL\AdbeRdr930_en_US.exe (PDF File reader)

=====
=====

1. System BIOS Update

Users of AMI BIOS can use the program "AFU.bat" contained in DVD-ROM for BIOS update.

a. This is found in DVD:\Driver\Flash BIOS\AFU.bat

BIOS FLASH SETUP:

a. Prepare a bootable flash drive and include DOS files: AFUDOS.EXE,AFU.BAT and "BIOS BIN file

(ex.E9611PMX.bin)" (*the flash drive need more than 8MB free space.)

b. Use flash drive to boot, then type "AFU E9611PMX.BIN" and press enter to automatically flash BIOS.

(ex. C:\>afu E9611PMX.bin <enter>)

2. The system has LAN function (Intel 82583V) that can support various network adapters. The content of the LAN driver is found as follows:

a. Windows 7_32bit / Windows 7_64bit / Windows 8,8.1_32bit / Windows 8,8.1_64bit / Windows 10_32bit / Windows 10_64bit

3. The Realtek ALC888S HD Audio codec sound function enhanced in this system fully compatible with

Windows 7 you will find the content of the Sound driver.

a. Windows 7_32bit / Windows 7_64bit / Windows 8,8.1_32bit / Windows 8,8.1_64bit / Windows 10_32bit / Windows 10_64bit

4. The Main Chip UTILITY directory is contained in DVD-ROM for INTEL Bay Trail Driver

a. Windows 7_32bit / Windows 7_64bit / Windows 8,8.1_32bit / Windows 8,8.1_64bit / Windows 10_32bit / Windows 10_64bit

5. The VGA interface (Intel(R) Media Graphics Family VGA Driver) is embedded with our system to support

CRT display and LVDS. The following illustration briefly shows you the content of VGA driver in sub-directory \VGA\

a. Windows 7_32bit / Windows 7_64bit / Windows 8,8.1_32bit / Windows 8,8.1_64bit / Windows 10_32bit / Windows 10_64bit

6. IntelR USB 3.0 eXtensible Host Controller

You will find the contents of the directory in the USB3.0

a. Windows 7_32bit / Windows 7_64bit

b. There is Intel USB3.0 just support WIN7 32/64 bit

**** Third party trademarks or brand names are the property of their owners.****