

Driver DVD version History

20151215--> Release PA-3055 V1.0 Driver Disc

20220411--> Release PA-3055 V1.1 Driver Disc

1. MSR\_SKH300 Utility\_CIDTestAP V0600 change to CIDTestAP V0706.

## DRIVER DISC content

### Layer 1

<b>\API Package</b>	Folder
<b>\DRIVER</b>	Folder
<b>\USER MANUAL</b>	Folder
<b>README</b>	Text file

  

### Layer 2 \API Package folder

<b>\DEMO PROJECT</b> folder	Demo AP
<b>\Prox API Standard</b> folder	API
<b>\Document</b> folder	Guide

### Layer 2 \DRIVER folder

<b>\Flash BIOS</b> folder	BIOS & Updating tool								
<b>\Platform</b> folder	<p>Driver</p> <ol style="list-style-type: none"> <li>1. The sequence of setup is, Main Chip =&gt; Graphics =&gt; LAN =&gt; SOUND =&gt; TOUCH [Device folder]</li> <li>2. You will be prompted to reboot when installation is complete.</li> </ol> <p><b>Main Chip /Intel® Celeron® J1900</b></p> <table border="1"> <thead> <tr> <th colspan="2">Main board version</th> <th>RA/RB/RC</th> </tr> </thead> <tbody> <tr> <td rowspan="2">for POS Ready7 Windows 8.1</td> <td>32bit</td> <td><a href="#">10.0.17</a></td> </tr> <tr> <td>64bit</td> <td><a href="#">10.0.17</a></td> </tr> </tbody> </table>	Main board version		RA/RB/RC	for POS Ready7 Windows 8.1	32bit	<a href="#">10.0.17</a>	64bit	<a href="#">10.0.17</a>
Main board version		RA/RB/RC							
for POS Ready7 Windows 8.1	32bit	<a href="#">10.0.17</a>							
	64bit	<a href="#">10.0.17</a>							

\\Platform folder

### Graphics /Intel® Celeron® J1900

Main board version		RA/RB/RC
for POS Ready7	32bit	<a href="#">36.15.0.1097</a>
	64bit	<a href="#">37.15.0.1097</a>

### LAN Chip/ Realtek RTL8119-CG

Main board version		RA/RB/RC
for POS Ready7	32bit	<a href="#">7.92.115.2015</a>
	64bit	<a href="#">7.92.115.2015</a>

### Sound Codec /Realtek ALC888S-VD2-GR

Main board version		RA/RB/RC
for POS Ready7	32bit	<a href="#">R2.71</a>
	64bit	<a href="#">R2.71</a>

### Intel® TXE Package

Driver		RA/RB		RC	
		DRIVER	FW built in BIOS	DRIVER	FW built in BIOS
for POS Ready7 Windows8.1	32bit	1.0.0.1064	01.01.00.1089	<a href="#">1.0.0.1050</a>	01.00.02.1060
	64bit	1.0.0.1064	01.01.00.1089	<a href="#">1.0.0.1050</a>	01.00.02.1060

### Windows 7 update KMDf &MBI

Main board version		RA/RB/RC
for POS Ready7	32bit	<a href="#">kmdf-1.11-Win-6.1-x86</a>
	64bit	<a href="#">kmdf-1.11-Win-6.1-x64</a>

\\Device folder

**Touch Controller / Fujitsu**

Main board version			<b>RA/RB/RC</b>
for Windows 7	Projected Capacitive	32bit	V10L10

**Cash Drawer [DRW]**

OPOS	Main board Version	RC	D04-6822-000-01-150731 Win10 x64 D04-6822-000-02-150731 Win10 x32 D04-6822-000-01-150731 Win8.1 x64 D04-6822-000-02-150731 Win8.1 x32 D04-6822-000-03-150722 Win7 x64 D04-6822-000-04-150722 Win7 x32
API	Main board Version	RC	A01-0000-000-03-150921

**VFD / MB-4103RA-11N /RS232**

OPOS 32bit /64bit	<b>MB-4103RA-11N /RS232</b>	D04-P400-000-01-160804 For Win7
OPOS 32bit /64bit	<b>MB-4103RA-11N /RS232</b>	D04-P400-000-02-160804 For Win8.1/10
Utility 32bit /64bit	<b>MB-4103RA-11N /RS232</b>	U01-4000-000-01-161103 For Win7
Utility 32bit /64bit	<b>MB-4103RA-11N /RS232</b>	U01-4000-000-02-161103 For Win8.1/10
Utility	<b>MB-4103RA-11N /RS232</b>	U01-4000-000-J2-161103 For Ubuntu 14.04LTS 64bit
JPOS 32bit /64bit	<b>MB-4103RA-11N /RS232</b>	D04-4000-000-J1-160412 For Win7/8.1/10
JPOS	<b>MB-4103RA-11N /RS232</b>	D04-4000-000-J2-160701 For Ubuntu 14.04LTS 64bit

\Device folder	<b>MSR /</b>	
	Utility 32bit / 64bit	SKH300/USB  POS Ready 7 V0706
	USB Driver	SKH300/USB  V6.6.1
<b>Layer 2 \USER MANUAL folder</b>		
User Manual	System Guide	
PDF File reader	AdbeRdr930_en_US.exe	